



Battery USA Brand Labeled
Automotive, Commercial, & Marine



MANUFACTURED FOR BATTERY USA BY:



BCI GROUP	SBM TYPE	PLATES	PERFORMANCE RATINGS			WEIGHT LB	MAXIMUM DIMENSIONS (INCHES & MM)					
			CRANKING AMPS @32F	CRANKING AMPS @0F	RESERVE CAPACITY		LENGTH	WIDTH	HEIGHT			
12 VOLT AUTOMOTIVE												
22F	22F18	48	515	415	60	30	9 3/8	238	6 3/4	171	8 1/8	208
22NF	22NF	66	560	450	80	32	9 3/8	238	5 7/16	138	9	229
24 & 24F	24/24F27	102	1060	850	135	47	10 1/8	258	6 3/4	170	9	229
	24/24F23	78	810	650	105	41						
	24/24F21	66	650	525	91	38						
	24/24F18	48	500	400	60	33						
25	2520	60	625	500	76	33	9	229	6 5/8	169	8 3/4	222
26 & 26R	26/26R22	66	625	500	85	30	8 1/8	206	6 3/4	171	8	203
	26/26R20	54	500	400	70	28						
27 & 27F	27/27F24	84	875	700	120	48	12	305	6 1/2	167	9	229
	27/27F22	72	755	605	90	44						
29NF	29NFD	78	525	420	100	31(DRY)	13	330	5 1/2	140	9	229
34	3425	90	810	650	115	38	10 1/8	258	6 3/4	171	8 1/8	206
	3423	78	665	535	100	36						
35	3520	60	625	500	76	33	9	229	6 5/8	169	8 3/4	222
41	4126D	96	680	550	125	30	11 1/4	287	6 3/4	171	6 7/8	175
42	4222	72	515	415	65	31	9 3/8	237	6 7/8	175	6 3/4	173
45	4521	66	560	450	80	32	9 3/8	237	5 7/16	138	9	229
47	4724D	88	580	470	100	24	9 1/4	235	6 7/8	175	7 1/2	190
48	4826D	96	640	510	110	24(DRY)	11 1/2	294	6 7/8	175	6 7/8	175
49	4929D	114	940	750	90	32(DRY)	14 1/2	368	6 7/8	175	7	177
51/51R	51/51R23	78	530	425	70	28	9 1/4	235	4 15/16	125	8 9/16	219
55	5521	66	560	450	80	31	8 1/2	216	6	152	8 1/2	216
58	5825	90	660	550	90	32	9 1/4	235	7 1/8	181	7	178
	5822	72	565	450	67	28						
58R	58R25	90	660	550	90	32	9 1/2	241	7 1/8	181	7	178
62	6223	78	625	525	90	35	8 3/4	222	6 1/4	159	8 7/8	226
64	6424	84	665	550	95	42	11 1/2	291	6 1/4	159	8 7/8	226
65	6529	114	1035	850	150	46	11 1/4	286	7 3/8	187	7 1/2	190
	6526	96	810	650	120	42						
70	7022	66	625	500	85	31	8 1/2	206	7 1/8	181	7 3/16	182
	7020	54	500	400	70	28						
74	7427	102	1050	850	135	47	10 1/8	258	7 1/16	180	8 1/4	209
	7423	78	810	650	105	41						
	7421	66	650	525	91	38						
	7418	48	500	400	60	33						

LAKELAND (Central & N. Florida)

Corporate / Dist. & Svc Center
1840 South Combee Road
Lakeland, FL 33801
Phone: (800) 262-2883
Fax: (863) 666-5004





Battery USA Brand Labeled
Automotive, Commercial, & Marine



MANUFACTURED FOR BATTERY USA BY:



BCI GROUP	SBM TYPE	PLATES	PERFORMANCE RATINGS			WEIGHT LB	MAXIMUM DIMENSIONS (INCHES & MM)		
			CRANKING AMPS @ 32F	CRANKING AMPS @ 0F	RESERVE CAPACITY		LENGTH	WIDTH	HEIGHT
12 VOLT AUTOMOTIVE									
75	7525	90	780	625	115	35	9 229	7 1/16 180	7 1/4 183
	7522	66	625	500	85	31			
78	7827	102	960	770	128	44	10 5/32 258	7 1/16 180	7 1/4 183
	7824	78	750	600	100	36			
12 VOLT DUAL TERMINAL									
34/78	78T27	102	960	770	128	40	10 5/32 258	7 1/16 180	8 1/32 204
	78T24	78	750	600	100	36			
26/70	70T25	78	750	605	100	33	8 1/16 205	7 1/8 181	8 1/32 204
	70T22	66	625	500	85	31			
	70T20	54	500	400	70	28			
12 VOLT MARINE STARTING									
24M	24M 27	102	1060	850	135	47	11 279	6 5/8 168	9 7/8 251
	24M 21	66	650	525	90	39			
	24M 18	48	500	400	60	34			
12 VOLT MARINE DEEP CYCLE									
31M	31D 29	114	850 CCA		215	65	12 7/8 328	6 3/4 171	9 5/16 237
27M	27D 27	102	750 CCA		185	58	12 23/32 323	6 5/8 168	9 7/32 234
	27D 23	78	625 CCA		145	51			
	27D 21	66	525 CCA		120	47			
24M	24D 21	66	525 CCA		120	43	11 279	6 5/8 168	9 7/32 234
	24D 19	54	475 CCA		100	40			
LAWN & GARDEN									
U1 & U1R	U1L/RS 2	36	220	175	20	16	7 11/16 195	5 1/8 130	7 3/16 183
	U1L/RS 4	48	305	245	26	17			
	U1L/RS 6	72	375	300	40	19			
12 VOLT COMMERCIAL									
31S/T	31S/T31	126	1250	1000	200	64	12 7/8 328	6 3/4 171	9 5/16 237
HEAVY	31S 27	102	1000	800	165	59			
DUTY	31S/T25	90	900	725	150	54			
SERIES	31S/T23	78	790	635	120	50			

LAKELAND (Central & N. Florida)

Corporate / Dist. & Svc Center
1840 South Combee Road
Lakeland, FL 33801
Phone: (800) 262-2883
Fax: (863) 666-5004





Battery USA Brand Labeled
Automotive, Commercial, & Marine



MANUFACTURED FOR BATTERY USA BY:



BCI GROUP	SBM TYPE	PLATES	PERFORMANCE RATINGS			WEIGHT LB	MAXIMUM DIMENSIONS (INCHES & MM)					
			CRANKING AMPS @ 32F	CRANKING AMPS @ 0F	RESERVE CAPACITY		LENGTH	WIDTH	HEIGHT			
12 VOLT COMMERCIAL												
31S/T	SDS/T31	126	1185	950	200	64						
SEVERE DUTY SERIES	SDS/T25	90	875	700	150	54	12 7/8	328	6 3/4	171	9 5/16	237
	31S/T	HPS/T31	126	1250	1000	200	64					
ALL CALCULUM	HPS 27	102	1030	825	165	59	12 7/8	328	6 3/4	171	9 5/16	237
	30H	30H25	90	900	725	150	54	12 7/8	328	6 3/4	171	9 1/2
3EE	3EE21D	54	460	370	100	28 (DRY)	19 3/16	488	4 1/4	108	8 11/16	220
3ET	3ET23D	66	575	460	120	31 (DRY)	19 3/16	488	4 3/16	107	9 11/16	246
16TF	16TFD	90	800	640	220	61 (DRY)	16 1/2	419	7	179	10 15/16	278
17TF	17TF	102	685	510	120	40 (DRY)	16 7/8	429	6 3/4	171	7 3/4	197
8D	8DHC	222	1750	1400	400	134						
	8D47	210	1750	1400	370	131	20 3/4	527	11	279	9 7/8	250
	8D37	162	1375	1100	300	117						
4D	4DHC	198	1625	1300	340	114						
	4D35	150	1350	1080	270	103	20 3/4	527	8 3/8	213	9 7/8	250
	4D31	126	1150	920	200	95						
4DLT	4DLT	138	1125	900	200	80	19 7/8	505	8 1/8	206	8 1/8	206
12 VOLT SPECIAL APPLICATION												
8D	8D47B	210	1750	1400	370	133	22	559	11	279	9 15/16	252
	8D37B	162	1375	1100	300	119						
4D	4DM43	198	1625	1300	340	114	20 3/4	527	8 3/8	213	10 1/2	268
6 VOLT COMMERCIAL												
1	GP125	45	835	670	135	31	8 15/16	227	6 3/4	171	8 3/4	222
2	G227D	42	780	625	150	27 (DRY)	10 3/8	264	7 1/8	181	9 3/8	238
4	GP433	69	1250	1000	240	47	12 7/16	316	6 3/16	157	9 3/8	238
3EH	3EH35D	63	1060	850	280	30 (DRY)	19 1/4	488	4 1/4	108	9 13/16	249
5D	5D35D	63	1060	850	280	30 (DRY)	13 1/2	343	7 1/8	181	9 7/16	240
7D	7D39D	81	1220	975	330	35 (DRY)	16 1/8	410	7 1/8	181	9 5/16	237
8 VOLT COMMERCIAL												
1	18VD	36	540	430	110	20 (DRY)	9	229	6 7/8	175	8 3/4	222
MILITARY ORDINANCE												
6TL	6TLD	138	750	600	200	50 (DRY)	10 15/16	278	10 1/2	266	9	229

LAKELAND (Central & N. Florida)

Corporate / Dist. & Svc Center
1840 South Combee Road
Lakeland, FL 33801
Phone: (800) 262-2883
Fax: (863) 666-5004

